TOSHIBA

E-STUDIO338cs

Datasheet

- These all-in-one A4 colour multifunctional devices meet all requirements of your modern office environments.
- With a print speed of 33/38 pages per minute and a range of practical features, these systems will help you increase your productivity.
- The impressive image quality gives your documents an extraordinary brilliance from the first to the last page.







AN ASSET TO ANY WORKGROUP


The e-STUDIO338cs and e-STUDIO388cs are an asset to any business or workgroup that requires productivity, reliability and ease of use. These compact A4 multifunctional devices offer a remarkable image quality that will enhance your documents to its very best potential.

Even challenging print jobs can be fulfilled, thanks to a clever range of options and solutions. A maximum paper capacity of 1,451 sheets ensures large print jobs run with ease. The optional Dual Scan Document Feeder of the e-STUDIO388cs allows your business to move to digitalisation easier and quicker than ever, with its speedy processing time of up to 94 images per minute.

The tiltable, colour touch panel and keypad offer a straightforward way to access all the device's functions and features at any time.



CONFIGURATION



SPECIFICATIONS

General

Print Speed 33/38 ppm

Warm-up Time ~ 16 seconds (from sleep mode)

Paper Size & Weight Cassette: A6-A4/custom, 60-176 g/m²

Bypass: 76 x127 mm - 216 x 356 mm, 60-176 g/m²

Paper Capacity

Cassette: 1x 250 sheets

Max.: 1,451 sheets

Inner Output Tray 150-sheet capacity

Automatic Duplex A4/custom, 60-105 g/m²

Control Panel 10.9 cm (4.3") colour touch panel (tiltable)

Memory <u>e-STUDIO338cs:</u>

Standard: 2 GB, max. 6 GB

e-STUDIO388cs:

Standard: 2 GB, max. 6 GB, 500 GB HDD

Interface 10Base-T/100Base-TX/1000Base-T (incl. IPv6),

High Speed USB 2.0, WLAN1 (IEEE802.11ac/a/b/g/n)

Dimensions & Weight e-STUDIO338cs:

442 x 507 x 462 mm (W x D x H), ~ 27.2 kg

e-STUDIO388cs:

442 x 507 x 462 mm (W x D x H), \sim 27.4 kg

Starter Kit Toner and Imaging Unit

Print

Language

Resolution Max.: 1,200 x 1,200 dpi
First Print Output Time ~ 8,5/8 seconds

Page Description

PCL 6, PCL 5, PostScript 3 and PDF v1.7 emulation,

XPS, PPDS

Supported Systems Windows 10/8/8.1/7, Windows Server 2016/Server

2012/Server 2008 (32/64 bit), Windows Server 2012 R2/ Server 2008 R2 (64 bit), Mac OS X 10.6-10.13,

Linux/Unix, Novell NetWare, Citrix, SAP

Mobile Printing AirPrint, Mopria Print Service, Google Cloud Print

Print Functions Universal Printer Driver, Print from USB, Multiple

pages per sheet, Envelope printing

Scan

Resolution Colour: max. 600 x 600 dpi

Monochrome: max. 600 x 600 dpi

Scan Speed <u>e-STUDIO338cs</u>:

Simplex: colour/monochrome 30/47 ipm (300 dpi) Duplex: colour/monochrome 13/21 ipm (300 dpi)

e-STUDIO388cs:

Simplex: colour/monochrome 30/60 ipm (300 dpi) Duplex: colour/monochrome 47/94 ipm (300 dpi)

Document Feeder Simplex/duplex: 50 sheets²⁾, 100 sheets³⁾,

A6-A4/custom, 52-120 g/m²

File Formats TIFF, JPEG, PDF, PDF/A, Secure PDF, XPS

Scan Functions WS Scan, Scan to E-Mail, Scan to USB, Scan to

File, Scan preview, e-STUDIO Scan, TWAIN

Copy

 Resolution
 Max.: 600 x 600 dpi

 First Copy Output Time
 ~ 8.5/8 seconds

 Zoom
 25-400%

Copy Modes Text, Text/Photo, Photo, Graphics

Copy Functions Multiple pages per copy, Margin shift, ID Card copy

Fax

Communication Super G3

Transmission Speed ~ 3 seconds per page

Compression JBIG, JBIG2, MMR, MR, MH, JPEG

Fax Functions Colour fax, Speed dial (up to 500 destinations),

Group dialing, Network fax

Incoming Fax Routing To shared folders, E-Mail

System & Security

Device Management e-BRIDGE Fleet Management System¹⁾

System Features Energy saving modes, Automatic toner saturation/

colour calibration

Accounting & Security Private print, IP address filter, Port filter,

Support of SNMPv3, SSL and IPSec protocols, 802.1x authentication¹⁾, Operator panel lock⁴⁾,

Disk wipe4)

Options

550-SHEET DRAWER - KD-1063 1x cassette, 550-sheet capacity,

A5-A4, 60-176 g/m²

650-SHEET DUO-DRAWER - KD-1064 1x cassette, 550-sheet capacity,

A5-A4, 60-176 g/m²

1x bypass, 100-sheet capacity,

A6-A4, 60-176 g/m²

SWIVEL CABINET - MH-3100

ADJUSTABLE PRINTER STAND - KK-3200

USER FLASH MEMORY - GC-1420

MEMORY EXPANSION (4GB) - GC-1440

HARD DISK DRIVE - GE-12402)

WIRELESS LAN MODULE - GN-1170

FORMS & BARCODE CARD - GB-2080LXK

PRESCRIBE CARD - GB-2290LXK

KEYBOARD - ENGLISH - GR-13503)

1) Optional

²⁾ e-STUDIO338cs only

e-STUDIO388cs only

⁴⁾ e-STUDIO338cs requires optional HDD





About Toshiba Tec

Toshiba Tec Germany Imaging Systems GmbH is part of the globally operating Toshiba Tec Corporation, active in various high-tech industrial sectors.

Toshiba Tec Corporation is a leading provider of information technology, operating across multiple industries - ranging from retail, education and business services to hospitality and manufacturing. With headquarters in Japan and over 80 subsidiaries worldwide, Toshiba Tec Corporation helps organisations transform the way they create, record, share, manage and display information.

For more information please contact us:

Toshiba Tec Germany Imaging Systems GmbH Carl-Schurz-Str. 7 41460 Neuss Germany

Telephone +49 2131-1245-0

Website

www.toshibatec.eu

Together Information is Toshiba's vision for how people and organisations
create, record, share, manage and display ideas and data.

It is based on our belief that the most successful organisations are those that communicate information in the most efficient way.

We make that possible through an integrated portfolio of industry-specific solutions, all of which reflect Toshiba's commitment to the future of the planet.

